




W o r l d L e a d e r i n D e n t a l A t t a c h m e n t s

CODE LIST

for Dentist and Dental Laboratory

RHEIN 83



22nd Edition

w w w . r h e i n 8 3 . c o m



CASTABLE




Ref. 092ECQ

OT EQUATOR CASTABLE SET

SET CONTAINS:

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS
(2 SOFT, 2 STANDARD)

IMPLANTS




Ref. 130

OT EQUATOR FOR IMPLANTS SET

SET CONTAINS:

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS
(1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 131

OT EQUATOR AND SMARTBOX FOR IMPLANTS SET

SET CONTAINS:

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT
- 1 ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS
(1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 030

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT

THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.

BARS



Ref. 160EQB

OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING

SET CONTAINS:

- 2 EQUATOR THREADED for titanium sleeve (1.6 mm THREAD)
- 2 THREADED SLEEVES (1.6 mm THREAD)
- 2 STAINLESS STEEL HOUSINGS
- 2 EQUATOR SPACERS
- 8 RETENTIVE CAPS
(2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)

ELASTIC SEEGER PASSIVE BAR CONNECTIONS SYSTEM



Ref. 158ESA

ELASTIC SEEGER SET

SET CONTAINS:

- 1 CASTABLE CYLINDER FOR SEEGER
- 1 SELF-EXTRACTING SEEGER
- 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

CAPS ASSORTMENT SET



Ref. 192ECE

CAPS ASSORTMENT SET

SET CONTAINS:

- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

SMART BOX SET



Ref. 335SBC

SMART BOX SET







SET CONTAINS:

- 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)









SPARE PARTS

	Ref. 151SS	• 2 CASTABLE MALES
	Ref. 140CEV	• 4 RETENTIVE CAPS - VIOLET "STRONG" 2700g
	Ref. 140CET	• 4 RETENTIVE CAPS - CLEAR "STANDARD" 1800g
	Ref. 140CER	• 4 RETENTIVE CAPS - PINK "SOFT" 1200g
	Ref. 140CEG	• 4 RETENTIVE CAPS - YELLOW "EXTRA-SOFT" 600g
	Ref. 140CEN	• 4 PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY)
	Ref. 140CEDR8	• 4 RETENTIVE CAPS - AQUA CAPS UNDERSIZED INTERNAL DIAMETER 2,2mm (STRONG 1300g)
	Ref. 140CEADR8	• 4 RETENTIVE CAPS - ORANGE UNDERSIZED INTERNAL DIAMETER 2,2mm (VERY ELASTIC 350g)
	Ref. 141CAE	• 2 STAINLESS STEEL HOUSINGS
	Ref. 141CTE	• 2 TITANIUM HOUSINGS FUCHSIA ANODIZED
	Ref. 330SBE	• 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP
	Ref. 335CSB	• 4 BLACK SMARTBOX POSITIONING CAPS
	Ref. 039SFE2	• 1 OT EQUATOR THREADED 2mm (DIRECT INTO 2MM THREAD)
	Ref. 339SFE	• 1 OT EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE)
	Ref. 239GSF	• 1 TITANIUM SLEEVE (1.6mm THREAD)
	Ref. 339SSE	• 1 OT EQUATOR SPACER
	Ref. 159VEA	• 1 OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING)
	Ref. 158VAE	• 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER
	Ref. 158SAE	• 1 SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING)
	Ref. 158CCE	• 1 CASTABLE CYLINDER height 2,5mm (FOR SEEGER)
	Ref. 158CCAE	• 1 HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER)

ACCESSORIES

	Ref. 144TTE	• 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW
	Ref. 144MTE	• 2 IMPRESSION COPINGS (FOR INDIVIDUAL TRAY)
	Ref. 044CAIN	• 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR (WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION)
	Ref. 144AE	• 2 LABORATORY ANALOGS
	Ref. 144AVC4	• 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø4mm
	Ref. 144AVC5	• 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø5mm

OT EQUATOR TOOLS

	Ref. 74AC01	• 1 PARALLELOMETER KEY "NORMAL SIZE"
	Ref. 774CHE	• 1 OT EQUATOR SQUARE SCREW DRIVER + HOLDER (SQUARE 1.25mm) (USABLE WITH RATCHET TORQUE CONTROL DEVICE)
	Ref. 774HC	• 1 OT EQUATOR INTERCHANGEABLE HOLDER
	Ref. 760CE	• 1 SQUARE DRIVER CONNECTOR FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25mm)
	Ref. 485IC	• 1 MULTIUSE CAPS INSERTER/EXTRACTOR TOOL
	Ref. 185SIS	• 1 METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC
	Ref. 491EC	• 1 MULTIUSE EXTRACTOR TOOL FOR CAPS (WITH HOLE STEM HOLDER)
	Ref. 760CRD	• 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK AND FLEX 15/35NCM STRENGHT - MAX 50NCM TORQUE, SUGGESTED 25NCM)

OT UNILATERAL

EXTRA CORONAL ATTACHMENTS
WITH COMBINED FUNCTION



Ref. 098UNL

OT UNILATERAL + CONNECTOR

SET CONTAINS:

- 1 UNILATERAL CASTABLE ATTACHMENT
- 1 UNI-BOX CASTABLE
- 1 PLASTIC POSITIONER MICRO SIZE
- 1 PINK CAP MICRO SIZE
- 1 STRATEGY YELLOW CAP (for duplication technique)
- 1 BLACK CAP MICRO SIZE (for laboratory use only)
- 1 STRATEGY BLACK CAP (for laboratory use only)
- 1 CONNECTOR

Ref. 156BCU

- 1 UNILATERAL CASTABLE ATTACHMENT

Ref. 156CCU

- 1 UNI-BOX CASTABLE

OT CAP TECNO



NORMAL

Ref. 093CTN

OT CAP TECNO NORMAL/MICRO

SET CONTAINS:

- 2 PRE-ANGULATED CASTABLE EXTENSIONS
- 2 TITANIUM SINGLE THREADED SPHERES
- 2 TITANIUM BOND-IN THREADED SLEEVES
- 2 TRANSPARENT CAPS NORMAL/MICRO
- 2 PINK CAPS NORMAL/MICRO
- 2 YELLOW CAPS NORMAL/MICRO

MICRO

Ref. 093CTM



Ref. 193BCA

- 2 PRE-ANGULATED CASTABLE EXTENSIONS

SINGLE THREADED SPHERES

WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO



Ref. 139KSFN

SET SINGLE THREADED SPHERE NORMAL SIZE + TiN
WITH SLEEVE TO BE BONDED

SET CONTAINS

- 2 TITANIUM NORMAL SINGLE THREADED SPHERE
(HEX mm. 1.3 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)

Ref. 139KSFM

SET SINGLE THREADED SPHERE MICRO SIZE + TiN
WITH SLEEVE TO BE BONDED

SET CONTAINS

- 2 TITANIUM MICRO SINGLE THREADED SPHERE
(HEX mm. 0.9 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)

SPARE PARTS

Ref. 239SFN

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN
FOR THREADED SLEEVE HEX mm. 1.3 THREAD mm. 1.6

Ref. 239SFM

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN
FOR THREADED SLEEVE HEX mm. 0.9 THREAD mm. 1.6

Ref. 239GSF

- 1 TITANIUM BOND-IN THREADED SLEEVE
FOR NORMAL AND MICRO - mm. 1.6



Ref. 239SSN

- 1 **STAINLESS STEEL SPACER for THREADED SLEEVE**
(Normal sphere)

Ref. 239SSM

- 1 **STAINLESS STEEL SPACER for THREADED SLEEVE**
(Micro sphere)

SINGLE THREADED SPHERES

FOR CAD/CAM OR SELF TAPPING 2.0mm THREAD - NORMAL AND MICRO SIZE



Ref. 039SFN2

- 1 **SINGLE THREADED SPHERE NORMAL SIZE + TiN**
HEX 1.3mm, THREAD 2.0mm

Ref. 039SFM2

- 1 **SINGLE THREADED SPHERE MICRO SIZE + TiN**
HEX 0.9mm, THREAD 2.0mm



Ref. 760CBR

- 1 **HEX DRIVER FOR THREADED SPHERE NORMAL**
HEX 1.3mm



Ref. 772CSF

- 1 **HEX DRIVER FOR THREADED SPHERE MICRO**
HEX 0.9mm

OT CAP IMPRESSION COPINGS



Ref. 044CAIN

- 2 **IMPRESSION COPINGS NORMAL SIZE**
Ø2,5mm WITH INTERCHANGEABLE CAP



Ref. 044CAI22

- 2 **IMPRESSION COPINGS**
Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP



Ref. 044CAIM

- 2 **IMPRESSION COPINGS MICRO SIZE**
Ø1,8mm WITH INTERCHANGEABLE CAP

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER SET FOR LABORATORY



Ref. 005SKLUS

SET CONTAINS: OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 4 castable spheres (normal and micro size)
- 2 titanium single spheres (normal and micro size) + sphere holder + 2 sliding base
- 4 castable OT CAP bars (normal and micro size)
- 2 complete castable OT CAP TECNO bars (normal and micro size)
- 4 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 4 plastic positioner rings (normal and micro size)
- 4 OT CAP retentive caps (normal and micro size)
Clear- standard retention - PINK soft retention - YELLOW extra soft retention
GREEN very elastic retention

- 4 TITAN CAP titanium caps (normal and micro size)
- 4 BLACK CAPS- only for lab use - (normal and micro size)
- 8 S/STEEL housings
- 4 ANALOGUES for plaster models (normal and micro size)
- 4 protective disks
- 4 aluminium spacers (normal and micro size)

OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 6 retentive caps: 2 clear - 2 pink - 2 yellow for housing
- 2 black caps for housing only for lab use
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:
Clear - standard retention - PINK soft retention - YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use
- 2 ANALOGUES for plaster models

OT BAR MULTIUSE:

- 2 castable bar
- 1 gingival connector
- 2 positioner clip A
- 2 positioner clip B
- 4 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

TOOLS:

- 1 Pincers
- 2 Reamer tools for caps (normal and micro size)
- 1 Reamer tools for OT STRATEGY caps
- 2 Parallelometer keys for OT CAP (normal and micro size)
- 1 Parallelometer key for OT STRATEGY size
- 2 Parallelometer keys for OT CAP TECNO (normal and micro size)
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR

OT VERTICAL - OT UNILATERAL - OT EQUATOR

BASIC LABORATORY SET



Ref. 005SKLBUS

SET CONTAINS:

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 8 castable spheres normal/micro
- 2 castable OT CAP bars (normal and micro size)
- 2 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 8 plastic positioner rings (normal and micro size)
- 13 OT CAP assorted retentive caps (normal and micro size)
 - PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use - (normal and micro size)
- 4 S/STEEL housings (normal and micro size)

OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 2 pink retentive caps
- 2 s/steel housings
- 2 plastic positioner rings
- 3 retentive caps for duplication technique:
 - PINK soft retention - YELLOW extra soft retention
- 4 black caps for duplication technique only for lab use

OT EQUATOR:

- 2 single males
- 2 stainless steel housings
- 4 retentive caps (2 soft, 2 standard)
- 2 processing black caps

OT UNILATERAL:

- 1 unilateral castable attachment
- 1 uni-box castable
- 1 plastic positioner micro size
- 2 ot cap micro size: 1 pink - 1 black processing cap
- 2 ot strategy (for duplication technique): 1 yellow - 1 black processing cap
- 1 connector

OT BAR MULTIUSE:

- 1 castable bar
- 1 gingival connector
- 4 positioner clip (A - B)
- 2 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

TOOLS:

- 1 Tweezers
- 1 Parallelometer keys for OT CAP normal
- 1 Parallelometer keys for OT CAP micro
- 1 Parallelometer key for OT STRATEGY
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool
 - (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

OT CAP SYSTEM ATTACHMENTS




Ref. 038STF
NORMAL SIZE

TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

SET CONTAINS:

- 2 SINGLE TITANIUM FLEX SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STN
NORMAL SIZE

TITANIUM SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

SET CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STM
MICRO SIZE

TITANIUM SINGLE SPHERE MICRO SIZE + TiN FOR LASER SOLDERING - FOR BONDING

SET CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 092CAN

NORMAL SIZE OT CAP

SET CONTAINS

- 4 CASTABLE SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 092CAM

MICRO SIZE OT CAP

SET CONTAINS

- 4 CASTABLE SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 196BCN

"ECONOMIC" OT CAP NORMAL SIZE

SET CONTAINS

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 CLEAR RETENTIVE CAPS (Standard retention)



Ref. 197BCM

"ECONOMIC" OT CAP MICRO SIZE

SET CONTAINS

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 CLEAR RETENTIVE CAPS (Standard retention)



Ref. 099BSN

OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE

SET CONTAINS

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 CLEAR RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 099BSM

OT CAP & Mono OT BOX FOR FRAME MICRO SIZE

SET CONTAINS

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 CLEAR RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 058BSN

OT BOX SPECIAL NORMAL SIZE + CONNECTORS

SET CONTAINS

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 058BSM

OT BOX SPECIAL MICRO SIZE + CONNECTORS

SET CONTAINS

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCN

OT BOX CLASSIC NORMAL SIZE + CONNECTORS

SET CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCM

OT BOX CLASSIC MICRO SIZE + CONNECTORS

SET CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT BOX LARGE

OVERSIZED CASTABLE HOUSING FOR CHAIRSIDE POSITIONING OF CAPS



Ref. 253BLN

OT BOX LARGE NORMAL & CONNECTORS

SET CONTAINS

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 253BLM

OT BOX LARGE MICRO & CONNECTORS

SET CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT STRATEGY ATTACHMENTS



Ref. 098SSS

OT STRATEGY

CAPS FOR DUPLICATION TECHNIQUE

SET CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

OT STRATEGY

CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

SET CONTAINS

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE

OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

OT BAR MULTIUSE & CONNECTORS

SET CONTAINS

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 4 RETENTIVE RED CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

OT VERTICAL ATTACHMENTS



Ref. 071OBV

OT VERTICAL

SET CONTAINS

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

OVERDENTURE ATTACHMENTS



Ref. 011SPL

S.P.L. PIVOTS - COPING COVER PROMOTIONAL SET FOR CLINIC

SET CONTAINS

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (Clear - standard retention - PINK soft retention)
- 16 MICRO CAPS (Clear - standard retention - PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 normal and 1 micro size)
- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING
- 4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS (grey 0° - green 7° - red 14°)
- 1 TWEEZER

Lenghts available:
10 - 9 - 7mm

Ref. 333PEK7

Ref. 333PEK9

Ref. 333PEK10

OT EQUATOR TITANIUM TiN COATED PIVOTS SET

Low profile head pivots

SET CONTAINS

- 2 TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen)
- 2 OT EQUATOR ANODIZED TITANIUM HOUSINGS
- 2 YELLOW EXTRA SOFT CAPS
- 2 PINK SOFT CAPS
- 2 CLEAR STANDARD CAPS
- 2 TRANSPARENT PROTECTIVE DISKS

Lenghts available:
10 - 9 - 7mm

Ref. 336PTE7

Ref. 336PTE9

Ref. 336PTE10

OT EQUATOR TITANIUM TiN COATED PIVOTS

Low profile head pivots

SET CONTAINS

- 1 TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)

PIVOT FLEX TiN COATED

TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size
Adapted for COPING COVER

SET CONTAINS

- 1 TITANIUM PIVOT WITH SWIVEL SPHERE
- 1 STAINLESS STEEL HOUSING
- 2 PINK CAPS Normal Size - Soft retention
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Ref. 033PSF7R

Ref. 033PSF9R

Ref. 033PSF10R

TITANIUM PIVOTS SET NORMAL SIZE

Adapted for COPING COVER

SET CONTAINS

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

Ref. 036PTN7

Ref. 036PTN9

Ref. 036PTN10

TITANIUM PIVOTS SET MICRO SIZE

Adapted for COPING COVER

SET CONTAINS

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

Ref. 036PTM7

Ref. 036PTM9

Ref. 036PTM10

OVERDENTURE POSTS

FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE

SET CONTAINS

- 2 Root posts in Titanium + TiN
- 2 Retentive male attachment Titanium + nylon
- 2 Plastic manual tools
- 2 Stainless steel housings
- 2 Pink protective disks

Ref. 034PRK

CASTABLE PIVOTS

FOR CANAL IMPRESSIONS

SET CONTAINS

- 20 CASTABLE PIVOTS NORMAL SIZE

Ref. 010PSP

CASTABLE PIVOTS

FOR CANAL IMPRESSIONS

SET CONTAINS

- 20 CASTABLE PIVOTS MICRO SIZE

Ref. 012PSM

Ref. A01MOG


MOOSER BUR
FOR PIVOTS OF 7 - 9 - 10mm.

Ref. A03MOB

MOOSER BUR
FOR PIVOTS OF 12 - 14mm.

Ref. 121FD

OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS



Lenghts available: 7,9 or 10mm
Normal sphere ø2,5mm
Micro sphere ø1,8mm



Lenghts available:
14 - 12 - 10 - 9 - 7mm



Lenghts available:
10 - 9 - 7mm



SPHERO FLEX WITH TiN COATED



Ref. 109

SET CONTAINS

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2.5 mm.)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

SPHERO BLOCK NORMO WITH TiN COATED



Ref. 002

SET CONTAINS

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 2.5)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

SPHERO BLOCK MICRO WITH TiN COATED




Ref. 003

SET CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 1.8)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7mm.



AUXILIARY TOOLS SPHERO FLEX - BLOCK



Ref. 771CEF

KEY FOR SPHERO FLEX AND SPHERO BLOCK (Normal - Micro size)
HEX mm. 2.3



Ref. 760CBM

HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE



Ref. 760CRD

RATCHET TORQUE CONTROL DEVICE
For Sphero block - flex and Ot Equator
15/35Ncm Strength - Max 50Ncm torque, suggested 25Ncm.

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Ref. TE

Extra charge for the dowel application



ELASTIC DOWEL



AUXILIARY TOOLS SPHERO FLEX - BLOCK



Ref. 100AD

DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK
SET CONTAINS

- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 044ABN

SPHERO FLEX - BLOCK NORMO ANALOG SET
SET CONTAINS

- 1 SPHERO BLOCK-FLEX NORMO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK NORMO CAP FOR LABORATORY USE



Ref. 044ABM

SPHERO BLOCK MICRO ANALOG SET
SET CONTAINS:

- 1 SPHERO BLOCK-MICRO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK MICRO CAP FOR LABORATORY USE

CUFF HEIGHT MEASURER

THIS TOOL IS USED TO DETERMINE THE CUFF HEIGHT OF IMPLANTS WITH INTERNAL OR EXTERNAL HEXAGON



Ref. 008MBG

CUFF HEIGHT MEASURER

SET CONTAINS:

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS



OT LOCK

LOCKING PIN TITANIUM AND CASTABLE



Ref. 880CLT

OT LOCK SET TITANIUM

SET CONTAINS

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN



Ref. 880CLR

OT LOCK SET TITANIUM ADJUSTABLE

SET CONTAINS

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

OT LOCK ACCESSORIES



Ref. 882CG

- 1 CONICAL GUIDE






















Ref. 882CAS

- 1 UNLOCKING TOOL

SPARE PARTS OT CAP SYSTEM

NORMAL Ø2.5mm

	Ref. 055SCN	• 4 CASTABLE SINGLE SPHERES NORMAL SIZE
	Ref. 151BAN	• 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE
	Ref. 150BPN	• 2 CASTABLE PRESECTIONED BARS NORMAL SIZE
	Ref. 192ACN	CAPS ASSORTMENT SET OT CAP NORMAL SIZE SET CONTAINS <ul style="list-style-type: none">• 1 STAINLESS STEEL HOUSING• 1 PROCESSING CAP• 1 PROTECTIVE DISK• 4 RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)
	Ref. 048CAN	• 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350 g
	Ref. 048CON	• 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g
	Ref. 049PCN	• 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g
	Ref. 060CRN AY	• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g
	Ref. 040CRN SN	• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g
	Ref. 040CRN	• 6 CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g
	Ref. 040TCN	• 2 TITAN CAPS NORMAL SIZE
	Ref. 043CLN	• 6 BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY)
	Ref. 049PCNDR8	• 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 350 gr
	Ref.060CRNAYDR8	• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 500 gr
	Ref.040CRNSNDR8	• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 900 gr
	Ref. 040CRNDR8	• 6 AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 2.25 SPHERE) - 1300 gr
	Ref. 042AMN	• 2 MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS)
	Ref. 041CAN	• 2 STAINLESS STEEL HOUSINGS NORMAL SIZE
	Ref. 041CTN	• 2 TITANIUM HOUSINGS NORMAL SIZE
	Ref. 101PPN	• 2 PLASTIC POSITIONERS NORMAL SIZE
	Ref. 044PPN	• 2 NORMAL SPHERE ANALOGS
	Ref. 100SAN	• 10 ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE

SPARE PARTS OT CAP SYSTEM

MICRO Ø1.8mm



Ref. 055SCM

• 4 CASTABLE SPHERES MICRO SIZE

Ref. 151BAM

• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE

Ref. 150BPM

• 2 CASTABLE PRESECTIONED BARS MICRO SIZE



Ref. 192ACM

CAPS ASSORTMENT SET OT CAP MICRO SIZE
SET CONTAINS

- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)



Ref. 048CAM

• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT)
(ELASTIC AND GUMMY) - 200g



Ref. 048COM

• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT)
(SLIGHTLY ELASTIC) - 450g



Ref. 049PCM

• 6 GREEN CAPS MICRO SIZE
(VERY ELASTIC RETENTION) - 200g



Ref. 060CRM AY

• 6 YELLOW CAPS MICRO SIZE
(EXTRA SOFT RETENTION) - 450g



Ref. 040CRM SN

• 6 PINK CAPS MICRO SIZE
(SOFT RETENTION) - 800g



Ref. 040CRM

• 6 CLEAR CAPS MICRO SIZE
(STANDARD RETENTION) - 1100g



Ref. 040TCM

• 2 TITAN CAPS MICRO SIZE



Ref. 043CLM

• 6 BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY)



Ref. 040CRMDR8

• 6 AQUA CAPS MICRO SIZE (STRONG RETENTION)
(UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6 mm) - 1100g



Ref. 049PCMDR8

• 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION)
(UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø 1,6 mm) - 200g



Ref. 042AMM

• 2 MONO OT BOX MICRO SIZE
(CASTABLE HOUSINGS FOR CAPS)



Ref. 041CAM

• 2 STAINLESS STEEL HOUSINGS MICRO SIZE



Ref. 041CTM

• 2 TITANIUM HOUSINGS MICRO SIZE



Ref. 101PPM

• 2 PLASTIC POSITIONERS MICRO SIZE



Ref. 044PPM

• 2 MICRO SPHERE ANALOGS



Ref. 100SAM

• 10 ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE

NORMAL-MICRO TOOLS



Ref. 485IC

• EXTRACTOR/INSERTER TOOL FOR CAPS - NORMAL AND MICRO SIZES
(FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)



Ref. 74AC01

• KEY FOR PARALLELOMETER NORMAL SIZE



Ref. 74AC02

• KEY FOR PARALLELOMETER MICRO SIZE



Ref. 74AC03





• TECNO KEY FOR PARALLELOMETER NORMAL AND MICRO SIZES
(ONLY FOR OT CAP TECNO)











Ref. 491EC

• MULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS






NORMAL-MICRO TOOLS *continue*

	Ref. 080RCN	• REAMER TOOL FOR OT CAPS - NORMAL SIZE
	Ref. 080RCM	• REAMER TOOL FOR OT CAPS - MICRO SIZE
	Ref. 082ATN	• TOOL FOR TESTING CAP RETENTION - NORMAL SIZE
	Ref. 083ATM	• TOOL FOR TESTING CAP RETENTION - MICRO SIZE






















NORMAL - MICRO ACCESSORIES AND Ø2.2mm

	Ref. 155CC	• 6 CONNECTORS
	Ref. 187CRS	• 2 CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm
	Ref. 187CRE	• 2 CONCAVE OT EQUATOR
	Ref. 189SRS	• 2 SOLID SPHERES AVAILABLE: Ø1.8mm
	Ref. 100PD	• 10 PROTECTIVE DISKS (internal diameter 1,6mm)
	Ref. 100PDR	• 10 PINK PROTECTIVE DISKS (internal diameter 2,9mm)
	Ref. 038GCS	• 2 CASTABLE SLIDING BASES
	Ref. 044PP22	• 2 MICRO ANALOGS Ø2.2mm

OT CAP ASSORTMENT SET

	SET NORMAL Ref. 074KAN	SET CONTAINS <ul style="list-style-type: none">• 8 CLEAR CAPS - STANDARD RETENTION• 8 PINK CAPS - SOFT RETENTION• 6 YELLOW CAPS - EXTRA SOFT RETENTION• 6 GREEN CAPS - VERY ELASTIC RETENTION• 6 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC• 6 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY• 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)• 4 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)• 4 BLACK CAPS - LABORATORY USE ONLY• 2 TITAN CAPS
	SET MICRO Ref. 074KAM	
	Ref. 074KNM	ASSORTMENT SET NORMAL & MICRO SET CONTAINS <ul style="list-style-type: none">• 4+4 CLEAR CAPS - STANDARD RETENTION• 4+4 PINK CAPS - SOFT RETENTION• 2+2 YELLOW CAPS - EXTRA SOFT RETENTION• 3+3 GREEN CAPS - VERY ELASTIC RETENTION• 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC• 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY• 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)• 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)• 2+2 BLACK CAPS - LABORATORY USE ONLY• 1+1 TITAN CAPS
	Ref. 064ACN NORMAL SIZE	OT CAP ASSORTED RETENTIVE CAPS NORMAL SET <ul style="list-style-type: none">• 6 GREEN CAPS - VERY ELASTIC RETENTION• 6 YELLOW CAPS - EXTRA SOFT RETENTION• 6 PINK CAPS - SOFT RETENTION• 6 CLEAR CAPS - STANDARD RETENTION
	Ref. 064ACM MICRO SIZE	OT CAP ASSORTED RETENTIVE CAPS MICRO SET <ul style="list-style-type: none">• 6 GREEN CAPS - VERY ELASTIC RETENTION• 6 YELLOW CAPS - EXTRA SOFT RETENTION• 6 PINK CAPS - SOFT RETENTION• 6 CLEAR CAPS - STANDARD RETENTION



OT STRATEGY SPARE PARTS

	Ref. 154PCS	• 4 OT STRATEGY STANDARD MALES
	Ref. 054PLS	• 4 OT STRATEGY HIGH MALES
	Ref. 154STY	• 2 CASTABLE STEADY
	Ref. 047CSD AY	• 4 STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE (EXTRA SOFT RETENTION) - 500gr
	Ref. 047CSD SN	• 4 STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE (SOFT RETENTION) - 900gr
	Ref. 047CSD	• 4 STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE (STANDARD RETENTION) - 1300gr
	Ref. 047CLS	• 4 STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE (FOR LABORATORY USE ONLY)
	Ref. 047CSDDR8	• 4 AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)
	Ref. 045CSM AY	• 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500gr (TO BE USED ONLY WITH HOUSINGS)
	Ref. 045CSM SN	• 4 STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900gr (TO BE USED ONLY WITH HOUSINGS)
	Ref. 045CSM	• 4 STRATEGY CLEAR CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) - 1300gr (TO BE USED ONLY WITH HOUSINGS)
	Ref. 045CLS	• 4 STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY)
	Ref. 045CSMDR8	• 4 AQUA STRATEGY CAPS FOR S/STEEL HOUSING (UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)
	Ref. 046CSM	• 2 STRATEGY STAINLESS STEEL HOUSINGS
	Ref. 101OTS	• 2 STRATEGY PLASTIC POSITIONERS (FOR SOLDERING STAINLESS STEEL HOUSINGS)
OT STRATEGY ASSORTMENT CAP SET FOR DUPLICATION TECHNIQUE		
	Ref. 047ACS	SET CONTAINS • 4 YELLOW CAPS - EXTRA SOFT RETENTION • 4 PINK CAPS - SOFT RETENTION • 4 CLEAR CAPS - STANDARD RETENTION
OT STRATEGY ASSORTMENT CAP SET FOR S/STEEL HOUSINGS		
	Ref. 045ACS	SET CONTAINS • 4 YELLOW CAPS - EXTRA SOFT RETENTION • 4 PINK CAPS - SOFT RETENTION • 4 CLEAR CAPS - STANDARD RETENTION
	Ref. 044PPS	• 2 STRATEGY ANALOGS
	Ref. 486ICS	• INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS
	Ref. 75AC04	• PARALLELOMETER KEY FOR STRATEGY CAPS
	Ref. 081RCS	• REAMER TOOL FOR STRATEGY CAPS


OT BAR MULTIUSE SPARE PARTS


	Ref. 022OBB	• 2	CASTABLE BARS OT BAR MULTIUSE
	Ref. 025CPB	• 4	CASTABLE BOXES OT BAR MULTIUSE
	Ref. 023CPA	• 4	POSITIONER CLIPS A
	Ref. 024CPB	• 4	POSITIONER CLIPS B
	Ref. 027CRG	• 4	YELLOW CLIPS (MEDIUM RETENTION 1,8Kg)
	Ref. 026CRR	• 4	PINK CLIPS (SOFT RETENTION 1,2Kg)
	Ref. 027CRS	• 4	RED CLIPS (EXTRA SOFT RETENTION 0,6Kg)
	Ref. 022RGO	• 3	CASTABLE CONNECTORS
	Ref. 429IOBM	•	INSERTER/EXTRACTOR TOOL FOR OT BAR MULTIUSE CLIPS
	Ref. 028OCP	•	PARALLELOMETER KEY FOR OT BAR MULTIUSE

OT VERTICAL SPARE PARTS








	Ref. 072MCV	• 2	CASTABLE MALES
		• 2	PIN KEYS
	Ref. 072SCV	• 2	CASTABLE STEADY
	Ref. 072CBV	• 4	WHITE CLIPS (STANDARD RETENTION)
	Ref. 072CVV	• 4	GREEN CLIPS (SOFT RETENTION)
	Ref. 472ICV	• 1	INSERTION TOOL FOR OT VERTICAL CLIPS

OT REVERSE 3 SPARE PARTS




	Ref. 120MR2	• 2	RETENTIVE MALES in TITANIUM + NYLON (Color Clear/ STANDARD RETENTION)
	Ref. 041CAM	• 2	S/STEEL HOUSINGS MICRO SIZE
	Ref. 121AOR	• 2	BRASS ANALOGS FOR ROOTS
	Ref. 121AAR	• 2	INOX IMPLANT ANALOGS
	Ref. 121MT	• 2	PLASTIC TRANSFERS FOR IMPRESSION

	Ref. 121AM	• 2 PLASTIC MANUAL TOOLS
	Ref. 100PDR	• 10 PINK PROTECTIVE DISKS
	Ref. 121PR	• 2 PLASTIC POSITIONERS FOR DUPLICATION
	Ref. 124IMR	• METAL INSERTING TOOL FOR OT REVERSE/3 MALE
	Ref. 72CBR	• S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR
	Ref. 72CFR	• BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE

OT LOCK SPARE PARTS

	Ref. 882CS	• 1 SLIDING KEY (ONLY FOR TITANIUM - CASTABLE LOCKING PIN)
	Ref. 882AF	• 1 FLEXIBLE RING
	Ref. 882CB	• 1 LOCKING KEY
	Ref. 882CPT	• 1 TITANIUM PREFABRICATED HOUSING (ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN)
	Ref. 882PPC	• 1 CERAMIC PIN
	Ref. 882CLSCT	• 1 ADJUSTABLE SLIDING KEY (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)
	Ref. 882DCC	• 9 CASTABLE SPACER RINGS (ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)

SPHERE REPAIR SETS

	AVAILABLE Ø 1.8 - 2.2 - 2.5	Ref. 087CRS	CONCAVE REPAIR SPHERE SET CONTAINS <ul style="list-style-type: none"> • 2 CONCAVE SPHERES IN TITANIUM - TiN COATED • 2 PINK CAPS SOFT RETENTION • 1 INSERTING TOOL • 1 GAUGE AND STRIP HOLDER
		Ref. 087CRE	CONCAVE REPAIR OT EQUATOR SET CONTAINS <ul style="list-style-type: none"> • 2 CONCAVE OT EQUATOR IN TITANIUM - TiN COATED • 2 PINK CAPS SOFT RETENTION • 1 INSERTING TOOL • 1 GAUGE AND STRIP HOLDER
		Ref. 089SRS	SOLID REPAIR SPHERE SET CONTAINS <ul style="list-style-type: none"> • 2 SOLID SPHERES 1.8mm IN TITANIUM - TiN COATED • 2 PINK CAPS SOFT RETENTION • 2 PROTECTIVE DISKS • 1 KEY

TITANIUM ATTACHMENTS FOR OVERDENTURE OT REVERSE SYSTEM - OT KLAS:

OT REVERSE SPARE PARTS AND OT KLAS ARE IN STOCK
FOR DETAILED INFORMATION PLEASE E-MAIL US OR CALL OUR OFFICES

ADJUSTABLE DENTURE BOXES

IT IS POSSIBLE TO SET UP SIX DIFFERENT INTERIOR SIZES



Ref. 0P6

SET CONTAINS


- 6 ASSORTED BOXES
COLOURS: BLUE - LIGHT BLUE - WHITE



Ref. 100AS

- 30 SILICONE RINGS

SMALL PARALLELOMETER



Ref. 00PB

- 1 **SMALL PARALLELOMETER DEVICE**
WITH MODEL HOLDER BASE
(FOR COURSES, ETC.)

OT CEM



Ref. OC

SET CONTAINS

- 1 TWO-COMPONENT SYRINGE 5ml
- 10 AUTOMIX TIPS

BROKEN SCREW EXTRACTOR SET

BROKEN SCREW EXTRACTOR SETS ARE
MANUFACTURED FOR MOST IMPLANT BRANDS



Ref. 680

SET CONTAINS

- 1 CLAW REAMER BUR
- 1 REVERSE CUTTING BUR
- 1 MANUAL EXTRACTOR
- 1 CENTERING DEVICE

Ref. 680FS

- 1 REVERSE CUTTING BUR

Ref. 680FA*

- 1 CLAW REAMER BUR

*Specify type of implant and diameter

METAL POLISHING SET

IDEAL FOR POLISHING ALL TYPES OF METAL:
BARS, ATTACHMENTS, FRAMEWORKS



Ref. SET1919

- 1 METAL POLISHING SET
BY CARLO BORROMEIO



DIRECT SERVICES

A telephone service is available during office hours,
it furnishes direct answers for technical questions.
You can address to Rhein83 for knowing the address of foreign distributors

Tel. +39 051 244510 - +39 051 244396 - Fax +39 051 245238

Rhein83 website
www.rhein83.com

General informations
info@rhein83.com

Sales department
angela.internationaltrade@rhein83.it

Technical support
gianni.storni@rhein83.it

Marketing department
marketing@rhein83.it



Via ZAGO, 10/ABC
40128 - BOLOGNA (ITALY)

Tel. (+39) 051 244510 - (+39) 051 244396
Fax (+39) 051 245238

<http://www.rhein83.com>
marketing@rhein83.it

Distributor

